

GOVERNMENT OF TELANGANA
ABSTRACT

Irrigation & CAD Department – Industrial Water supply to Divi's Lab at Lingojugudem Village, Choutuppal Mandal, Nalgonda District - Permission to draw water 0.01 TMC per annum from Musi River at Gokaram (V), Valigonda (M), Nalgonda District – Accorded - Orders – Issued.

IRRIGATION & CAD (REFORMS) DEPARTMENT

G.O.Ms.No.47,

Dated:02-07-2016.

Read the following:-

1. G.O.Ms.No.39, I&CAD (PW:COD)Department, Dt.02-04-2002.
2. G.O.Ms.No.115, I& CAD (Reforms) Department, Dt:27-06-2015.
3. From the Engineer-in-Chief(I), Lr.No.ENC(I)/DCEI/OT2/AEE5/
Divis Lab/ 2015, Dt: 30-05-2016.

-o0o-

O R D E R:-

In the reference 3rd read above, the Engineer-in-Chief(Irrigation) has requested and recommendation to accord permission for allocation of 0.01 TMC per annum of water from Rama Samudhram Minor Irrigation Tank to Divi's Labs Ltd., situated at Lingojugudem (V), Choutuppal Mandal, Nalgonda District from Musi River from the unutilized Minor Irrigation allocations in K-10 sub basin of Krishna River, subject to usual terms & conditions without disturbing URR, LRR collection of royalty/seigniorage charges with the conditions in addition to usual terms and conditions.

2. Government after careful examination of the proposed hereby accord permission for drawl of 0.01 TMC per annum of water to Divi's Labs Limited situated at Lingojugudem (V), Choutuppal Mandal, Nalgonda District from Musi River from the unutilized Minor Irrigation allocations in K-10 sub basin of Krishna River and subject to payment of water rate for consumptive use without disturbing URR, LRR collection of royalty/seigniorage charges and as per Government orders vide G.Os 1st and 2nd read above at the rate as fixed by Government from time to time and subject to the concurrence of District Collector, Nalgonda and the clearance of Pollution Control Board and subject to the following Special terms & Conditions apart from usual terms & conditions and also subject to obtaining other Department permissions as per Law/Rules :

1. The firm should make its own arrangements for creating storage facilities to avoid drawl from river during non-monsoon period.
2. The department is no way responsible of non-supply/non availability of water due to any reason in any particular water year.
3. The annual requirement of water of 0.01 TMC to be spared from Musi River from the unutilized MI allocations in K-10 sub basin of River Krishna.
4. The utilization should not exceed 0.01 TMC per annum under any circumstance and necessary measuring arrangements have to be made by the firm.

3. The Engineer-in-Chief (Irrigation), Hyderabad shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

DR. SHAILENDRA KUMAR JOSHI
SPCIAL CHIEF SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (Irrigation), I&CAD Department,
Jalasoudha, Errummanzil, Hyderabad.

(PTO)

::2::

The Collector & District Magistrate, Nalgonda.

Copy to:

The Commissioner of Industries, Chirag Ali Lane, Telangana State, Hyderabad.

The Pollution Control Board, Telangana State, Hyderabad.

The P.S. to Hon'ble Minister (Irrigation)

The P.S. to Spl. Chief Secretary to Government, I & CAD Department.

The P.S. to Secretary to Government, Energy Department.

The P.S. to Secretary to Government, Industries Department

The Director, Ground Water Department, Telangana, Hyderabad.

The I&CAD (W.R.G) Department

SF/SC (C.No.5664/Reforms/2016).

//Forwarded:: By order//

SECTION OFFICER